

PERGO®

VINYL PLANKS & TILES



NEW
2015

Revinylution!

Introducing

a new generation of vinyl flooring

The new collection of Pergo vinyl floors is a nothing short of a re-vinylution. A new surface offers a natural look and feel, combined with Pergo durability. Unsurpassed stability thanks to a new manufacturing process and a new click joint technology makes installation faster and easier than ever before. And the warm, comfortable softness takes you far, far away from other vinyl floors.





MODERN COFFEE OAK, PLANK
V2107-40019



Join the resistance!

The new Pergo vinyl floors are not only made to last – they're made to stay beautiful too! The new TitanV™ protective top layer efficiently seals the surface, offering improved resistance against staining and soiling, and protection against scratches. The sealed surface pays off in many ways. In addition to resisting scratches, it also makes the floor easier to clean. As the ultimate proof of quality, all Pergo vinyl floors come with a guarantee of up to 25 years.










A Pergo vinyl floor never folds

Our new, strong PerfectFold™ V click system was created specifically for vinyl floors. It is a unique construction that features vertical as well as horizontal locking to make installation incredibly fast, easy and durable. Just fold it down or snap it in place!



A softer touch all around

When designing the new vinyl floors, sustainability was a top priority. The energy efficient and ultra-modern manufacturing process reduces waste to a minimum, to be as soft as possible to your feet as well on the planet.

- » Phthalate free* » Very low VOC emissions
- » Waste recycling » Energy efficient production

* We do not use phthalates as plasticizers

active life flooring

Pergo vinyl floors can take a knock or two. Actually, that is putting it mildly. The strong and durable surface layer makes vinyl the ideal choice for spaces that are used intensively, like hallways or rooms where children play. It really is the no-worries floor. Thanks to the fully sealed surface, dirt simply cannot penetrate the floor, and you are able to clean off most stains using nothing but water.








because...

It's not just the look that makes a Pergo vinyl floor a great choice. These floors are also very durable, sound absorbent and comfortable to walk on.



CLASSIC NATURE OAK, PLANK V2107-40023



kids will
be kids!



Natural look and feel

Inspired by the natural feel of wood, slate and rough concrete, our 24 designs allow you to accentuate your home environment any way you want. The distinct authentic feel is supported by a unique bevel technology that helps to define the edges of each plank on our premium floors.



MODERN GREY OAK, PLANK V2107-40017



Welcome home



Pergo vinyl floors not only feel cosy, they are also perfectly suited for underfloor heating.

And with vinyl, there are no limits to what a floor can look like. The versatility of the material means we can offer a wide range of designs, each radiating its own style thanks to the real life details, the tactile structure and the fascinating colour schemes.



GOLDEN NATURE OAK V2107-40022



NATURE MANSION OAK V2107-40014




TAUPE MANSION OAK V2107-40016

100% waterproof

Our new vinyl floors are waterproof, making them a great alternative for kitchens and other areas where the floor not only has to be beautiful to look at, but also practical.

Of course, a waterproof floor is also easy to clean. Thanks to the protective and sealed TitanV™ surface, dirt can just be wiped off the floor – keeping it not only looking great, but also hygienic!







All decors in 2 quality levels



optimum

Very durable floors for use
in commercial applications

- » TitanV™ scratch, stain and wear resistant layer
- » PerfectFold™ V for fast and easy installation
- » 5-year guarantee for commercial use
- » 25-year guarantee for residential use

(also available in glue down, see pergo.com)



premium

Durable floors for
domestic use

- » TitanV™ scratch, stain and wear resistant layer
- » PerfectFold™ V for fast and easy installation
- » 20-year guarantee for residential use

It's a revinylution!



- 1 Protective TitanV™ layer for scratch, stain and wear resistance
- 2 Fine printed vinyl decor layer
- 3 Highly impact resistant vinyl core
- 4 Extra stabilizing layer containing glass fiber
- 5 Highly impact resistant vinyl backing

tile 1300 x 320 mm | 4-way bevel 



CREAM TRAVERTIN
■ V3120-40046 ■ V2120-40046



LIGHT GREY TRAVERTIN
■ V3120-40047 ■ V2120-40047



GREY SCIVARO SLATE
■ V3120-40034 ■ V2120-40034



BLACK SCIVARO SLATE
■ V3120-40035 ■ V2120-40035



LIGHT CONCRETE
■ V3120-40049 ■ V2120-40049



WARM GREY CONCRETE
■ V3120-40050 ■ V2120-40050



DARK GREY CONCRETE
■ V3120-40051 ■ V2120-40051



OXIDIZED METAL CONCRETE
■ V3120-40045 ■ V2120-40045

classic plank

1251 x 187 mm | 4-way bevel



NORDIC WHITE OAK, PLANK
 ■ V3107-40020 ■ V2107-40020



MODERN GREY OAK, PLANK
 ■ V3107-40017 ■ V2107-40017



SOFT GREY OAK, PLANK
 ■ V3107-40036 ■ V2107-40036



LIGHT GREY CHALET PINE, PLANK
 ■ V3107-40054 ■ V2107-40054



MODERN NATURE OAK, PLANK
 ■ V3107-40018 ■ V2107-40018



ECRU MANSION OAK, PLANK
 ■ V3107-40013 ■ V2107-40013



LIGHT NATURE OAK, PLANK
 ■ V3107-40021 ■ V2107-40021



CLASSIC NATURE OAK, PLANK
 ■ V3107-40023 ■ V2107-40023



GOLDEN NATURE OAK, PLANK
 ■ V3107-40022 ■ V2107-40022



GREY CHALET PINE, PLANK
 ■ V3107-40055 ■ V2107-40055



WARM GREY MANSION OAK, PLANK
 ■ V3107-40015 ■ V2107-40015



BROWN CHALET PINE, PLANK
 ■ V3107-40056 ■ V2107-40056



NATURE MANSION OAK, PLANK
 ■ V3107-40014 ■ V2107-40014



GREY HERITAGE OAK, PLANK
 ■ V3107-40037 ■ V2107-40037



MODERN COFFEE OAK, PLANK
 ■ V3107-40019 ■ V2107-40019



TAUPE MANSION OAK, PLANK
 ■ V3107-40016 ■ V2107-40016

Easy installation

30%
faster
installation

The PerfectFold™ V click system was created specifically for the new Pergo vinyl floors. It features vertical as well as horizontal locking. The double locking gives the Pergo floor unique stability, and thanks to the new click system, installation is both fast and easy – faster than any vinyl floor on the market. Simply choose one of the three installation methods, and snap the floor into place!

The new click system eliminates the need for transition profiles for installation next to doors. Thanks to the horizontal and vertical locking, there are no height differences or open joints. And if you need to, the PerfectFold™ V system means the floor can be easily removed and reused.



Drop down

The ideal method for quickly installing a large area. Click the plank at the long side joint, slide it until it meets the end of the previously installed plank, and press down.



Insert horizontally

Unlike many other brands, Pergo vinyl floors can also be inserted horizontally. A very handy option for places where it is difficult or impossible to tilt the planks (when installing the last row of planks, or under door frames and radiators).



Angle

If you prefer, Pergo offers a third option for installing your new vinyl floor. Simply angle, and click the planks together at the short end.



Wallbase

PGVSKR(xxxxx)MD240

(see matching matrix for correct art no)


Waterproof skirting board to hide expansion joints and protect walls. Perfect match to the floor in colour, structure and gloss.

2400 x 8 x 55 mm

Colour: colour matched

Surface: wear resistant PVC foil with water-resistant finish

Core: MDF



Wallbase, paintable

PGVSKRPAINMD240


Waterproof, paintable skirting board to hide expansion joints and protect walls.

2400 x 8 x 55 mm

Colour: white & paintable

Surface: wear resistant PVC foil with water-resistant finish

Core: MDF



Combi moulding, aluminium

PGPRGOLD, gold

PGPRBRON, bronze


PGPRSILV, silver

The Pergo multifunctional profile can level height differences for a smooth transition on to any other type of floor. Suitable for height differences of 0 – 12.3 mm.

1860 x 10 x 47 mm

Colour: gold, bronze, silver

Surface: aluminium




Expansion profile

PGVEXPSILV

Finish off your click floor perfectly. Available in wear resistant aluminium.

2000 x 7 x 24 mm




Adapter profile

PGVADPSILV

Finish off your click floor perfectly. Available in wear resistant aluminium.

2000 x 7 x 26 mm




End profile

PGVENPSILVME200

Finish off your click floor perfectly. Available in wear resistant aluminium.

2000 x 7 x 18 mm



aesthetics




Stair nose, click

PGVSTPCLICKSILV

For installation of Pergo click vinyl on stairs and steps. Always glue the floor panels for your safety!

2000 x 30 x 15 mm




Stair nose, outer

PGVSTPGLUESILV

For installation of Pergo glue vinyl on stairs and steps.

2000 x 40 x 26 mm




Stair nose, inner

PGVSTPINGLUESILV

For installation of Pergo glue vinyl on stairs and steps.

2500 x 15 x 25 mm



underlays



Underlay basic

PGVUDLB15

Easy to install basic underlay specially developed for Pergo vinyl floors. Good sound absorbent and prevents irregularities. Perfectly suitable for floor heating and cooling.

15 m² / pack
Thickness: 1 mm

installation



Installation tool

PGVTOOL

Excellent tool for precise cutting straight and 90°. Hand protection with pullbar and lever function. Suited for both left and right handed.



Cutter knife

PGVKNIFE

Professional knife, perfect for precised and stable cutting. Ideal for cutting curves and shapes. 10 blades are included.



Glue

PGVGLUE6, 6 kg (+/- 20 m²)
PGVGLUE15, 15 kg (+/- 50 m²)

Professional glue, specially developed for Pergo vinyl floors. Spreads easily, guarantees fast adhesion and offers the highest strength.



Glue trowel

PGVA2


Ensures perfect glue consumption per m².



Sealant

PGKIT(-)

For a beautiful finish. Available in 8 colours.
Water based acrylic. 310 ml.



maintenance



Vinyl floor cleaning

PGVCLEANING1000

Protects the TitanV™ top protective layer.
Ideal for removing dirt, grease spots and
heel marks, as well as for daily cleaning.
1000 ml.



Cleaning kit

PGCLEANINGKIT
PGCLEANINGMOP, separate mop cloth

High quality mop set with extra long
ergonomic handle and a mop cloth holder.

Cleaning instructions

General maintenance

Vinyl floors are easy to live with, but as with most things, it needs regular cleaning to stay beautiful. The innovative surface layer with TitanV™ makes a specific treatment after installation unnecessary, and your floor can easily be cleaned with a broom, vacuum cleaner, or a damp mop. We recommend that you always use a non-aggressive maintenance product, like Pergo vinyl cleaner that maintains the original look of your floor. Do not pour water over the floor or leave a puddle of water on the floor.

Periodic cleaning and maintenance

Clean the floor routinely by sweeping, vacuum cleaning or damp wiping. Always remove immediately grit, sharp objects, staining agents, moisture or aggressive substances from the floor.

PLEASE NOTE: Never use aggressive cleaning agents, soap or abrasive cleaners or cleaners containing oil or waxes.

Stain removal

Remove stains as fast as possible. The longer spilled materials are left on the floor, the greater the risk of permanently staining. Persistent stains may be removed using Pergo vinyl cleaner.

Industrial cleaning

In order to increase resistance and enhance cleaning properties of the flooring for commercial application, an appropriate sealer can be applied according to the instructions of the manufacturer of this product.

Technical guide

Features

	optimum	premium
Protective top layer against scratch, stain and wear	TitanV™	TitanV™
Installation method	PerfectFold™ V	PerfectFold™ V
Water resistant	•	•
Thickness	4.5 mm	4.5 mm
Guarantee against water, wear and delamination (residential use)	25 years	20 years
Guarantee against water, wear and delamination (commercial use)	5 years (up to 15 y on request)	on request (up to 10 years)

Technical

Test method/standard

		optimum	premium
Class of use	EN 649 / prEN 16511	33	32
Vinyl	EN 649	Heterogeneous	Heterogeneous
Resistance to furniture leg	EN 424	No damage	No damage
Resistance to castor chair	ISO 4918	No damage 25000 cyc	No damage 25000 cyc
Fire classification	EN 13501-1	Bfl-S1	Bfl-S1
Thermal resistance (without underlay)	EN 12667	OK floor heating/cooling	OK floor heating/cooling
Formaldehyde emission	EN 717-1	None	None
Dimensional stability	EN ISO 23999	<0.05%	<0.05%

optimum

	length (mm)	width (mm)	thickness (mm)	panels/pack	m ² /pack	pack/pallet	m ² /pallet
V3120-xxxxx tile	1300	320	4.5	5	2.08	52	108.16
V3107-xxxxx classic plank	1251	187	4.5	9	2.105	52	109.48

premium

	length (mm)	width (mm)	thickness (mm)	panels/pack	m ² /pack	pack/pallet	m ² /pallet
V2120-xxxxx tile	1300	320	4.5	5	2.08	52	108.16
V2107-xxxxx classic plank	1251	187	4.5	9	2.105	52	109.48

Matching matrix

optimum	premium	Art. nr / Decor	Wallbase 8 x 55 PGVSKR(xxxxx)MD240
V3107-40013	V2107-40013	Ecru mansion oak, plank	40013
V3107-40014	V2107-40014	Nature mansion oak, plank	40014
V3107-40015	V2107-40015	Warm grey mansion oak, plank	40015
V3107-40016	V2107-40016	Taupe mansion oak, plank	40016
V3107-40017	V2107-40017	Modern grey oak, plank	40017
V3107-40018	V2107-40018	Modern nature oak, plank	40018
V3107-40019	V2107-40019	Modern coffee oak, plank	40019
V3107-40020	V2107-40020	Nordic white oak, plank	40020
V3107-40021	V2107-40021	Light nature oak, plank	40021
V3107-40022	V2107-40022	Golden nature oak, plank	40022
V3107-40023	V2107-40023	Classic nature oak, plank	40023
V3107-40036	V2107-40036	Soft grey oak, plank	40036
V3107-40037	V2107-40037	Grey heritage oak, plank	40037
V3107-40054	V2107-40054	Light grey chalet pine, plank	40054
V3107-40055	V2107-40055	Grey chalet pine, plank	40055
V3107-40056	V2107-40056	Brown chalet pine, plank	40056
V3120-40034	V2120-40034	Grey Scivaro slate	40034
V3120-40035	V2120-40035	Black Scivaro slate	40035
V3120-40045	V2120-40045	Oxidized metal concrete	40045
V3120-40046	V2120-40046	Cream travertin	40046
V3120-40047	V2120-40047	Light grey travertin	40047
V3120-40049	V2120-40049	Light concrete	40049
V3120-40050	V2120-40050	Warm grey concrete	40050
V3120-40051	V2120-40051	Dark grey concrete	40051



Easy installation

The PerfectFold™ V system makes installation quick and easy. Just fold the planks into place using one of the three methods, and you'll be done in no time.



Wear protection

The surface of Pergo vinyl offers a multi-layer protective floor finish. The protective TitanV™ layer provides scratch, stain and wear resistance and easy maintenance.



Sound reduction

The soft vinyl floor reduces step noise and provides a quiet and comfortable walking experience.



Impact resistance

Pergo's vinyl surface is multi-layer build-up. In combination with the dense core material it gives the floor a very high impact resistance and a low residual indentation, protecting your floor from potential damage.



Castor chair

The multi-layer build-up of Pergo vinyl in combination with the properties of the core are designed to withstand damage from castor chairs.



Fire resistance

Pergo vinyl floors have a natural high resistance to fire. They are designed to meet all European requirements for installation in escape routes and assembly halls.



Water resistance

Our Moisture Resistance System combines the properties of the core with a strong and tight click joint. This will give Pergo vinyl floors some of the best moisture-resistance properties on the market.



Hygienic

A Pergo vinyl floor improves hygiene and makes it easier to maintain a clean home. The sealed surface prevents bacteria, and helps reduce the amount of cleaning chemicals you need.



Easy maintenance

The Pergo TitanV™ protective layer is resistant to dirt and offers you low maintenance and effortless cleaning. The solid design of the click joints also keeps dirt from penetrating the joint.





pergo.com

PERGO
FLOORS FOR REAL LIFE

Pergo (Europe) AB, Box 1010, SE-231 25 Trelleborg, Sweden
Tel +46 410 36 31 00, Fax +46 410 461 15

UNILIN bvba, division flooring, Ooigemstraat 3, 8710 Wielsbeke, Belgium, Europe

